

Report Documentation Page			Form Approved OMB No. 0704-0188		
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 30 SEP 2001		2. REPORT TYPE		3. DATES COVERED 00-00-2001 to 00-00-2001	
4. TITLE AND SUBTITLE Turbulence Closure and 3-D Ocean Modeling for CBLAST		5a. CONTRACT NUMBER			
		5b. GRANT NUMBER			
		5c. PROGRAM ELEMENT NUMBER			
6. AUTHOR(S)		5d. PROJECT NUMBER			
		5e. TASK NUMBER			
		5f. WORK UNIT NUMBER			
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Princeton University,,Program in Atmospheric and Oceanic Sciences,,Princeton,,NJ, 08544		8. PERFORMING ORGANIZATION REPORT NUMBER			
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)		10. SPONSOR/MONITOR'S ACRONYM(S)			
		11. SPONSOR/MONITOR'S REPORT NUMBER(S)			
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT An objective is to improve the Mellor-Yamada turbulence closure model for ocean surface and bottom boundary layers and, specifically, to include the effects of surface waves. It is observed that there is a mismatch in surface wave modeling and ocean circulation modeling. The wave community models surface waves but neglects vertical variations in the mean current fields in which the waves are physically imbedded. The ocean circulation community explicitly models the vertical structure of the ocean but generally ignores surface waves and their contribution to vertical mixing of ocean properties. There are researches (e.g., Craig and Banner 1994, Terray et al. 2000) that do recognize wave-mixed layer interaction but, generally, the aforementioned mismatch prevails.					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 3	19a. NAME OF RESPONSIBLE PERSON
a REPORT unclassified	b ABSTRACT unclassified	c THIS PAGE unclassified			

Turbulence Closure and 3-D Ocean Modeling for CBLAST

George L. Mellor
Princeton University
Program in Atmospheric and Oceanic Sciences
Princeton, NJ 08544-0710
Phone: 609 258 6570 fax: 609 258 6570 email: glm@splash.princeton.edu
or 401 466 2659

Grant Number: N000140110170

<http://www.aos.princeton.edu/wwwpublic/glm/mellor.html>

LONG-TERM GOALS

As part of the CBLAST-DRI Program, my long-term goal is to improve the numerical modeling of the coastal ocean and its interaction with atmospheric forcing.

OBJECTIVES

An objective is to improve the Mellor-Yamada turbulence closure model for ocean surface and bottom boundary layers and, specifically, to include the effects of surface waves. It is observed that there is a mismatch in surface wave modeling and ocean circulation modeling. The wave community models surface waves but neglects vertical variations in the mean current fields in which the waves are physically imbedded. The ocean circulation community explicitly models the vertical structure of the ocean but generally ignores surface waves and their contribution to vertical mixing of ocean properties. There are researches (e.g., Craig and Banner 1994, Terray et al. 2000) that do recognize wave-mixed layer interaction but, generally, the aforementioned mismatch prevails.

APPROACH

I have begun this work by investigating the effect of surface waves on bottom boundary layers wherein the oscillations imposed by the waves in shallow water, 100 m or less, increase the bottom friction and play a significant role in the transport of sediments. The focus is on the incorporation of these effects in turbulence closure models which are imbedded in three-dimensional ocean models. This work (Mellor 2001) will significantly extend the work initiated by Grant and Madsen (1986).

On another front, I have examined the effect of surface waves on the vertical structure of the ocean. It is noted that the so-called wave radiation stresses are generally derived in vertically integrated form (Phillips 1977, Komen et al. 1994). I have derived vertically variable wave radiation stresses. At this writing, my results have been subjected to a fair amount of peer scrutiny, but I am still not sure that the derivation is novel.

WORK COMPLETED

A paper cited in **REFERENCES**.

RESULTS

It has been learned (Mellor 2001) that it is possible to augment the turbulence production term in the Turbulence Kinetic Energy equation in any closure model that uses the TKE equation to account for the effects of surface wave induced oscillations on the mean current. With the help of numerical modeling, the augmented production has been derived as a function of vertical distance from the bottom, oscillation frequency and amplitude, angle between the wave number vector and mean current stress and the bottom roughness parameter. This information can be easily incorporated into three-dimensional ocean models.

Three-dimensional wave stress radiation terms have derived for inclusion into the momentum equations of ocean models.

IMPACT

The anticipated impact is that the research reported thus far and that expected in the future will significantly improve the verisimilitude of three-dimensional numerical ocean models.

RELATED PROJECTS

This work does overlap with a NOPP sponsored project on the Near-Shore Circulation Zone. In the future, my research on the ONR project and the NOPP project will tend to diverge, the former emphasizing the ocean surface and the latter the ocean bottom, but obviously the two researches will complement each other.

REFERENCES

Grant, W. D. and O. S. Madsen, 1986: The continental-shelf bottom boundary layer. *Ann. Rev. Fluid Mech.* **18**, 265-305.

Komen, G. J., L. Cavaleri, M. Donelan, K. Hasselman, S. Hasselman, P. A. E. M. Janssen, 1994: *Dynamics and Modelling of Ocean Waves*, Cambridge Univ. Press, 531 pp.

Phillips, O. M., 1977: *The Dynamics of the Upper Ocean*. Cambridge Univ. Press, 366 pp.

Terray, E. A., W. M. Drennan and M. A. Donelan, 2000: The vertical structure of shear and dissipation in the ocean surface layer. Proc., Symposium on Air-Sea Interaction, Sydney, Australia, Jan. 1999. M. Banner, ed.

PUBLICATIONS

Mellor, G. L. : 2001. Oscillatory bottom boundary layers. Submitted to the J. Phys. Oceanogr.